

Standard



Hull: high-density polyethylene (HDPE)




Platform: aluminium profile



Exterior: profiled northern timber cladding



Ceiling: Hot cured fiberglass (GFC)



Inside: Profiled northern timber cladding (white and grey)



Flooring living room and cabins: Nordic timber floorboard



Flooring bathroom and sauna: Sheet vinyl



Interior doors: Laminated



Aluminum frame, isolated windows system. Bow sliding doors; not-opening starboard and port vitrine windows; sliding bedroom vitrine window on the port side; not-opening wooden frame, round windows in the port and starboard side; the glass: single-chamber, double-layer, tempered, tinted.



Bathroom

- Shower panel
- Washbasin with mirror
- Mixer tap
- Electric toilet with macerator



Kitchen set

- Worktop, base and hanging cabinets
- Black sink, mixer tap, two-burner gas hob
- Extractor fan 230V
- Refrigerator 230V

Choose finish:



Ekbacken
Dark grey marble effect



Ekbacken
Light grey concrete effect



Saljan
Black marble effect



Ekbacken
Ash effect



Enköping
White wood effect



Bodbyn
Grey



Veddinge
White



Ringhult
High-gloss light grey



Bedroom

Bed with mattress and storage
Width 140 cm, mattress height 16cm



Steering console

Hydraulic steering system
Plastic steering wheel
Electric switch panel
A compass
USB socket
Wireless rear video monitoring system, camera + monitor 7"



Electrical installation

LED lights with dimmers
230-volt shore connection watertight plug
230-volt electrical sockets
Electric towel dryer 230V
A set of electrical fuses and RCD
Electrical wiring for 230V and 12-24V
VICTRON power inlet stainless with cover 16A/250VAC (2P/3W)

Hot tap water system

500W electric heater



Bow and stern deck equipment

Impregnated anti-slip nordic spruce terrace board (brown);
Bow and stern stainless steel side railing
Stainless steel cable
Aluminum mooring cleat 6 pcs (ALU Nordic Season)
3 steps stainless steel ladder (width 168mm)



Systems and other equipment

Water supply system:

200 litres tank
Level Sender
Water level gauge
Water deck plate
Water pump 24V
Quick connection from the shore

Other equipment

Navigation lights
Electric horn 24 V
Flagpole with base

Waste water system

Tank 240 litres
Wastewater level gauge
Vacuum drain system

Stern cabinet

Service column for filling and draining
Cabinet for gas bottles

OPTIONS




PLATFORM EQUIPMENT AND ENGINE



Outboard bracket for engines up to 30HP
Outboard bracket for engines from 30HP to 100HP



Outboard motor 9.9 hp, 15 l. fuel tank
Outboard motor 25 hp, 15 l. fuel tank
Outboard motor 30 hp, 20 l. fuel tank



Fuel tank 50lt., tank locker, level gauge
Fuel tank 100lt., a cabinet for a tank, level gauge



Starter battery 12V 90 A., battery charger (VICTRON)
Starter battery 12V 110 A., battery charger (VICTRON)



Steering wheel with varnished tropical wood rim

LIVING MODULE MODIFICATIONS AND ADD-ONS


Choose exterior finish:

WPC cladding, "RHOMBUS"
Vertical/Horizontal



Light brown Anthracite Dark brown

Profiled thermo-wood timber cladding "Rhombus"




Anthracite Brown Dark brown

Profiled thermo-wood timber cladding "CLASSIC"



CLASSIC Palisander



CLASSIC anthracite

Choose interior finish:

HALLTEX pannels



Touchi 01



Touchi 02

Choose flooring:

Vinyl plank flooring



Classic Oak Natural



Authentic Oak Brown



Authentic Oak Honey

Water-resistant natural oak



Hazel



Cotton white



Deep Down Grey Too

Roof terrace 4x3 m
Stainless steel (316)
Side railing - 900 mm high
Stairs - aluminum
Anti-slip coating
Folding stainless steel side railing



Choose the terrace cover



Non skid EVA Foam Faux Teak



Cork decking



"NuTeak" brown



"NuTeak" grey



Aluminum windows opening window at port or starboard

Curtains and curtain rods

Round-opening window



Furniture:
Sofa-bed, shelves above the bed, folding table,
4 chairs.



Sapphire



Grey



Skipper boat seat "Standart"



Integrated dishwasher (45 cm)

*For dishwasher off-port use (1 cycle per day). REQUIRED Electrical package "Maximum" + 12V/110Ah AGM deep cycle batt. 2 psc.



Electric radiators

*For electric radiator off-port use REQUIRED Electrical package "Maximum" + 12V/240Ah AGM deep cycle batt. 4 psc.



Monoblock air conditioner

For air conditioner off-port use REQUIRED Electrical package "Maximum" + 12V/240Ah AGM deep cycle batt. 4 psc.

SAUNA



Electric sauna heater 4,5 kW „Harvia“




Wood burning sauna stove with „Harvia M3“

"VICTRON" ELECTRICAL EQUIPMENT

SHORE + (min. 2 days outside port regardless of weather conditions, using standard/basic electrical equipment). VICTRON ENERGY equipment: INVERTER/CHARGER MULTI PLUS 24/2000/50-32, 12V/165Ah AGM Deep Cycle Batt. (M8) 4psc., BATTERY MONITOR BMW 712 BLACK SMART (Bluetooth control on phone), SMARTSHUNT 500A/50MV, BATTERY SWITCHES ON/OFF 275A, LYNX DISTRIBUTOR, MEGA-fuses, SHORE POWER CORD 25 m 16A/250VAC (3X2, 5SQMM), wires, connections, installation work.

MINIMUM (2-4 days out of port depending on weather conditions and intensity of sunshine and using standard/basic electrical equipment) VICTRON ENERGY equipment: INVERTER/CHARGER MULTIPLUS 24/2000/50-32, 12V/110Ah AGM Deep Cycle Batt. (M8) 4psc , Solar Panel 24V 360W Mono series 4a 2psc., SmartSolar MPPT 150/35, BATTERY MONITOR BMW 712 BLACK, SMART, SMARTSHUNT 500A/50MV, BATTERY SWITCHES ON/OFF 275A, LYNX DISTRIBUTOR, MEGA-fuses, SHORE POWER CORD 25 m 16A/250VAC (3X2, 5SQMM), wires, connections, installation work.

MINIMUM + CERBO GX (2-4 days out of port depending on weather conditions and intensity of sunshine and using standard/basic electrical equipment, 4G remote control by phone) VICTRON ENERGY equipment: INVERTER/CHARGER MULTIPLUS 24/2000/50-32, 12V/110Ah AGM Deep Cycle Batt. (M8) 4psc., Solar Panel 24V 360W Mono series 4a 2psc., SmartSolar MPPT 150/35, BATTERY MONITOR BMW 712 BLACK, SMARTSHUNT 500A/50MV, BATTERY SWITCHES ON/OFF 275A, LYNX DISTRIBUTOR, MEGA-fuses, SHORE POWER CORD 25 m 16A/250VAC (3X2, 5SQMM), CERBO GX, GX Touch 70, GX LTE 4G-E., wires, connections, installation work.



OPTIMAL + CERBO GX (4-6 or more days out of port depending on weather conditions and intensity of sunshine and using standard/basic electrical equipment) VICTRON ENERGY equipment: INVERTER/CHARGER MULTIPLUS 24/2000/50-32, SMARTSHUNT 500A/50MV, BATTERY SWITCHES ON/OFF 275A, Lynx Distributor, MEGA-fuses 400A/32V, 12V/165Ah AGM Deep Cycle Batt. (M8) 4psc., SmartSolar MPPT 150/45, Solar Panel 24V 360W Mono series 4a 4psc., SHORE POWER CORD 25 m 16A/250VAC (3X2, 5SQMM), CERBO GX, GX Touch 70, GX LTE 4G-E, wires, connections, installation work.

MAXIMUM + CERBO GX (6-8 or more days out of port depending on weather conditions and intensity of sunshine and using standard/basic electrical equipment) VICTRON ENERGY equipment: INVERTER/CHARGER MULTIPLUS 24/3000/70-50 , SMARTSHUNT 500A/50MV, BATTERY SWITCHES ON/OFF 275A, Lynx Distributor, MEGA-fuses 400A/32V, 12V/165Ah AGM Deep Cycle Batt. (M8) 4psc., SmartSolar MPPT250/85-Tr VE.Can , Solar Panel 24V 360W Mono series 4a 6psc., SHORE POWER CORD 25 m 16A/250VAC (3X2, 5SQMM), CERBO GX, GX Touch 70, GX LTE 4G-E, wires, connections, installation work.

DECK AND OTHER EXTERNAL EQUIPMENT

"WPC" deck flooring,



Brown




Anthracite

THERMO-WOOD



Brown



Stainless steel wall handrails



Telescopic stainless steel ladder



Windlass 24 V, RC6-6 Maxwell



Hot galvanized anchor 10kg/16kg



Stainless steel bow roller



Stainless steel chain stopper



Hot galvanized anchor chain



Stainless steel jaw swivel



Life ring



Oar



Hanging BOW THRUSTER "SideShift"



Mooring equipment: 4 fenders with rope



Life jacket



Boat hook

PLUMBING AND OTHER EQUIPMENT



Electric burning toilet 230 V 3 kW "Cinderella"
Electric burning toilet electric-gas 12V "Cinderella"



Amplification of septic tank
up to 440l



Septic water discharge
system



Clean water tank extension up to 400 litres



HIKVISION wireless alarm kit



Glass doors for the shower